

Programmation ACTIVE Deterrence (NVR)



Sécurité
Cam-Install
Caméras Câblage Technologies

- AI Search
- Parameters
- Smart Plan
- Face Detection
- IVS
- People Counting
- Heat Map
- SMD
- Report Query



Draw Rule Remove

Target Filter ☒ Max Size ☐ Min Size Draw Target Remove

Channel 1

	No.	Name	Preset	Type	
☒	1	Rule1	--	Intrusion	

Parameters

Action ☒ Appear ☒ Cross

Direction Both

Target Filter ☒

Effective Target ☒ Human ☒ Motor Vehicle

☒ Camera Audio Setting ☒ Light

Schedule Setting

Post-Record 10 sec.

☒ Record Channel 1 2 3 4 5 6

Setting



0 2 4 6 8 10 12 14 16 18 20 22 24

Sun

Mon

Tue

Wed

Thu

Fri

Sat

Setting

Setting

Setting

Setting

Setting

Setting

Setting

☐ All ☐ Sun ☐ Mon ☐ Tue ☒ Wed ☐ Thu ☐ Fri ☐ Sat

☒ Period 1 00 : 00 - 24 : 00

☐ Period 2 04 : 11 - 24 : 00

☐ Period 3 00 : 00 - 24 : 00

☐ Period 4 00 : 00 - 24 : 00

Default

OK

Cancel

ALARM

Alarm Info

Alarm Subscription

Alarm-in Port

Video Detection

Audio Detection

Exception

> Disarming

Disarming



On



Close

Disarm by Period



(Disarm by Period will be valid after one-click disarm is disabled.)

Duration of Disarm by Period

Setting

Event Notifications



On



Close

Disarm Alarm Linkage Action



All



Buzzer



Show Message



Send Email



Report Alarm

Sync Disarm Config with Channels



Channel

Setting

Setting



0 2 4 6 8 10 12 14 16 18 20 22 24

Sun

Mon

Tue

Wed

Thu

Fri

Sat

Setting

Setting

Setting

Setting

Setting

Setting

Setting

☐ All ☐ Sun ☐ Mon ☒ Wed ☐ Thu ☐ Fri ☐ Sat

☒ Period 1 04 : 00 - 22 : 00

☐ Period 2 00 : 00 - 24 : 00

☐ Period 3 00 : 00 - 24 : 00

☐ Period 4 00 : 00 - 24 : 00

Default

OK

Cancel

CAMERA


Camera List

> Image

Encode

Camera Name

PoE



Channel 1

Profile Day

Brightness - 50

Contrast - 50

Saturation - 50

Sharpness - 50

Gamma - 50

Mirror ☐ Enable ☒ Disable

Flip Normal

3D NR ☒ Enable ☐ Disable

Backlight Close

WB Auto

Day/Night Auto

Illuminator SETTING

Illuminator



Fill Light

Smart Illumination



Mode

Auto



Brightness Upper Limit



50

Illuminator Delay

60

sec.(30~300)

OK

Cancel